

SKIPPER – 9 metre retractable tape barrier

Skipper™ is a unique, purpose designed approach to traffic and facilities management. It allows you to cordon off hazardous or restricted areas indoors or outside quickly and cost effectively. Skipper's fully retractable 9 metre tape enables all areas to be closed off using standard weighted-base cones or UPVC posts.

Simply fit Skipper over the top of your cone or post or, if you wish, Skipper can be screwed to the cone for greater security. Alternatively, using our optional wall mount bracket, Skipper can be used to block doorways, close off aisles in warehouses or anywhere that requires a fixed barrier.

Also available is a switchable warning light with built-in daylight sensor.

Value features:

- » Full 9 metre retractable tape.
- » Push button tape lock to prevent tampering.
- » Tough, corrosion proof moulded housing.
- » Four way connectivity.
- » Unique belt clip allows belt to hook back onto itself.
- » Fits standard 1 metre traffic cones or UPVC posts.
- » High visibility Red/White or Black/Yellow tape.
- » Wall mount bracket available.
- » Optional emergency light.
- » Optional sign holders and signs.

Specifications:

Description:	9 metre retractable barrier.
Material:	Housing – High impact polypropylene. Tape – Reinforced nylon with water repellent coating.
Tape finish:	Red/white or black/yellow diagonal stripes.
Tape Length:	9 metres.
Housing:	250mm high x 150mm in diameter.
Weight:	SKIP-BY/RW – 0.7kgs.



The Skipper allows you to cordon off hazardous or restricted areas indoors or outside.



Red and White (SKIP-RW).



Black and Yellow (SKIP-BY).

How it works



Fit Skipper onto top of the cone or post & base unit. Secure with screws if required.



Pull the tape out to the desired length.



Clip the tape to the next skipper or receiver unit.



Lock the tape button to prevent unwanted spooling.



See also 'Magna Mount' Section 7.8.



See also 'Port-a-guard' Section 6.

PART No.	DESCRIPTION
SKIP-RW	Skipper 9 mtr retractable barrier (Red/White)
SKIP-BY	Skipper 9 mtr retractable barrier (Black/Yellow)

SKIPPER ONE METRE CONE

A 1 metre high stackable cone manufactured from tough polyethylene with a heavy rubber base for stability and reflective collar for improved visibility. Skipper simply fits over the cone and can be screw fixed for extra security if required. Belt height 1090mm. (Skipper not included).

CONE MOUNT RECEIVER UNIT

This receiver unit is a press fit onto our 1 metre cone.

For extra security use the fixing screws provided.

Features include solid aluminium construction with anodised finish and two-way connectivity allowing 2

Skipper units to span up to 18 metres. A twist and lock cap prevents belts dislodging in windy conditions.

PART No.	DESCRIPTION
BTC1000R	Skipper 1 metre cone
SKRCA	Cone receiver unit (order separately)



1 metre cone (BTC1000R).



Cone Mount Receiver (SKRCA).

SECTION 7.9.3

SKIPPER POST & BASE

A post & base unit designed to accept the Skipper unit. The UPVC posts are available in yellow or grey and are 63.5mm in diameter. The heavy rubber base offers stability. Belt height 990mm. (Skipper not included).

RECEIVER POST

A receiver post to compliment the Skipper post & base above. Features include, solid aluminium construction, anodised finish, two-way connectivity. A twist and lock cap prevents belts dislodging in windy conditions. (Includes post, base and receiver head).

PART No.	DESCRIPTION
SKPBY	Skipper post & base – Yellow
SKPBG	Skipper post & base – Grey
SKPRP-Y	Skipper receiver post & base – Yellow
SKPRP-G	Skipper receiver post & base – Grey

UPVC Post & Base.
(Grey or Yellow).UPVC Receiver post & base.
(SKPRP-G or SKPRP-Y).

SECTION 7.9.4

SKIPPER WALL MOUNT

The Skipper wall mount bracket allows Skippers to be used without the need for cones or posts and can be mounted to walls or columns. It is manufactured from heavy steel components and zinc plated to resist rust. (Skipper not included).

WALL MOUNT RECEIVER UNIT

This belt receiver unit can be mounted to any wall or column. It is compatible with Skippers mounted on cones, post & base units or wall mount brackets. Manufactured from aluminium with an anodised finish, it is both compact and attractive.

PART No.	DESCRIPTION
SKWM	Skipper wall mounted bracket
SKRC	Wall mounted receiver unit



Skipper wall mount (SKWM).



Wall mount receiver (SKRC).

SKIPPER SIGN HOLDER

A sign holder to suit the Skipper that is both practical and attractive. Machined from solid steel and bright chrome plated for a high quality finish, this sign holder allows you to mount signs directly into the top of the Skipper. The sign fits securely into the machined slot and is held in place by a concealed grub screw. (Supplied complete with hex key). Requires 6mm hole to be drilled in the skipper cap.

SKIPPER SIGNS

A range of engraved signs manufactured from premium brushed silver laminate with black legends.

They measure 190 x 275mm. For the full range see Section 6.6.

PART No.	DESCRIPTION
QCH	Sign holder



Skipper sign holder (QCH).



See Section 6.6 for sign range.

SECTION 7.9.6

SKIPPER LIGHT

A multi function LED warning light that is fully rechargeable. Powered by 6 AA Batteries (not included), it is switchable between permanent or flashing mode, it also has a light sensor for automatic low light activation, which can be turned off. The light unit simply replaces the top housing cap on your existing Skipper for a fully integrated design.

Reflective side panels assist low light visibility. (Light and Skipper sold separately).



Reflective surfaces.



Sensor & flash switches.



Skipper multi-function light (SKLIGHT).

PART No.	DESCRIPTION
SKLIGHT	Skipper multi function light (Amber)

SECTION 7.9.7

STANDARD TAPES

Our standard Skipper tapes are all manufactured from a durable, dip coated, woven polyester fabric and are virtually un-rippable. They are available in diagonal Red/White or Black/Yellow stripes.

CUSTOM TAPES

Made to the same specifications as our standard tapes. These are available in up to 4 colours for logos, promotions or warning messages. Minimum quantities and additional costs may apply. Lead times of 4 to 6 weeks apply.



Standard tapes.



Custom printed tapes. POA.